




TERMA

SINCE 1990



◀ **Radiator**

Bookie 1155 ↑ x 400 ↔ ZX,
radiator colour: RAL 5011,
radiator code: WGBUK065040 K511ZX

Valves and accessories

Integrated thermostatic valve, angled,
TWINS ALL IN ONE, RAL 9005 Soft

251 COLOURS




BOOKIE







AVAILABLE SIZES




655 x 300
↓ ↔




655 x 400




655 x 500




1155 x 300
↓ ↔




1155 x 400




1155 x 500



1655 x 300
↓ ↔



1655 x 400



1655 x 500

1. RADIATOR

CENTRAL HEATING

Connections:



Height A ↕ [mm]	Width B ↔ [mm]	Heating power – powder paint		Product code ... Configuration p.6
		75/65/20°C [W]	55/45/20°C [W]	
655	300	258	140	WGBUK065030
655	400	316	171	WGBUK065040
655	500	375	204	WGBUK065050
1155	300	430	231	WGBUK115030
1155	400	524	282	WGBUK115040
1155	500	619	334	WGBUK115050
1655	300	595	321	WGBUK165030
1655	400	734	391	WGBUK165040
1655	500	873	460	WGBUK165050

DIMENSIONS AND TECHNICAL INFORMATION




Working pressure: 1000 kPa

Maximum operating temperature: 95°C

Height A ↕ [mm]	Width B ↔ [mm]	Spacing connection C1 [mm]	Spacing horizontal fasteners D [mm]	Spacing vertical fasteners E [mm]	Bottom fasteners position F [mm]	Capacity [dm³]	Weight [kg]
655	300	50	75	375	140	2,76	5,23
655	400	50	75	375	140	3,46	6,50
655	500	50	75	375	140	4,15	7,78
1155	300	50	75	875	140	4,67	8,77
1155	400	50	75	875	140	5,80	10,85
1155	500	50	75	875	140	6,92	12,93
1655	300	50	75	1375	140	6,54	12,22
1655	400	50	75	1375	140	8,10	15,12
1655	500	50	75	1375	140	9,66	18,01


TECHNICAL DRAWING

ZX



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator


Collector:



CONFIGURATION CODE FOR A TOWEL RAIL OR RADIATOR ("WG" PRODUCT GROUP)

Product codes can be found in the product tables in both the catalogue and the price list. They provide basic information about the product and the configuration code contains information that complements the specification. When placing an order, the product codes should contain the fully completed configuration part. Part of the configuration code should be placed after the main product code as shown in the example below:

CODE DETAILS:



WG – water or dual fuel, central heating towel rail or radiator

E – the epoxy primer (additional coating increases the corrosion resistance of the product).