


# Tytus One



**Tytus One** 1260 $\downarrow$  × 540 $\leftrightarrow$  E1  
colour: Black Pepper

ONE heating element




  
**TERMA**  
SINCE 1990

# Tytus One




Projekt : *Terma*


## Standard connections:




Electric radiators:



## Optional connections:



## Available sizes:






## Electrical specification:

<b>Power supply:</b>	230 V / 50 Hz
<b>Device protection class:</b>	Class I
<b>Ingress protection [IP]:</b>	IPx5

## Specifications:

Working pressure: 800 kPa    Maximum operating temperature: 82°C

A ↓ [mm]	B ↔ [mm]	75 65 20°C [W]	55 45 20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm³]	 [kg]	Product Code <small>configuration code p. 5</small>
820	440	533	288	600	400	680	70	5,35	12,15	WZTYN082044
820	540	645	348	600	500	680	70	6,31	14,29	WZTYN082054
820	640	755	407	800	600	680	70	7,27	16,43	WZTYN082064
1020	440	666	358	600	400	880	70	6,95	15,67	WZTYN102044
1020	540	806	433	800	500	880	70	8,20	18,47	WZTYN102054
1020	640	943	507	1000	600	880	70	9,46	21,28	WZTYN102064
1260	440	828	444	800	400	1120	70	8,37	18,82	WZTYN126044
1260	540	1002	537	1000	500	1120	70	9,87	22,16	WZTYN126054
1420	440	930	497	1000	400	1280	70	9,65	21,63	WZTYN142044




# Tytus One



## Technical drawing:

S8


S1



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres  
E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Collector :

Pipe :





In the table with technical data, the last column lists product codes. When placing an order, please remember to quote the product code followed by the configuration code as shown in the diagram below:

## The construction of a configuration code of a water radiator with a built-in One heating element:

WZTYN082044

PRODUCT CODE  
(located in the table for the product)

K916S1

CONIGURATION CODE  
(supplemented by hand)

Cable Type

**W** – straight cable with plug  
**P** – straight cable without plug  
**U** – spiral cable with plug

### Example Configuration

**K 916 S1 W**

Package code    Plate color code    Connection code    Cable Type code  
*K - carton box*

## The Construction of the product and configuration code for a radiator with the built-in heating element ONE:

WWTYN082044

PRODUCT CODE  
(located in the table for the product)

K916E1

CONIGURATION CODE  
(supplemented by hand)

Cable Type

**W** – straight cable with plug  
**P** – straight cable without plug  
**U** – spiral cable with plug

### Example Configuration

**K 916 E1 P**

Package code    Plate color code    Connection code    Cable Type code  
*K - carton box*

## Epoxy primer

**E** – Code of epoxy primer is an extra processes.

WZTYN082044 K916S1 **E** — Extra processes or additions code



## Legend



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator. The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.



Available in chrome finish.



No additional payment for a color.