

Plain wersja 620 stojąca



Plane 620 x 688

kolor: Flat Black


Plain wersja 620 stojąca



Podłączenia:





Dostępne rozmiary:




Dane techniczne:

Ciśnienie robocze: 1,0 MPa. Maksymalna temperatura pracy: 95°C.

A ↑ ↓	B ↔	C [mm]	75/65/20°C [W]	55/45/20°C [W]	 [dm³]	 [kg]
620	80	460	103	54	2,61	9,3
620	278	460	308	163	7,82	27,5
620	360	460	410	217	10,42	36,4
620	442	460	513	271	13,03	45,3
620	524	460	615	325	15,63	54,2
620	606	460	718	379	18,24	63,1
620	688	460	820	434	20,85	72,0
620	770	460	923	488	23,45	80,9
620	852	460	1025	542	26,06	89,8
620	934	460	1128	596	28,66	98,7
620	1016	460	1230	650	31,27	107,6
620	1098	460	1333	705	33,87	116,9
620	1180	460	1435	759	36,48	126,2
620	1262	460	1538	813	39,09	134,7
620	1344	460	1640	867	41,69	144,0
620	1426	460	1743	921	44,30	152,5

Plain wersja 620 stojąca



A – wysokość B – szerokość C – rozstaw połączeń