

# Plain wersja 660 wisząca



Plane 660 x 688

*kolor:* Flat Black


# Plain wersja 660 wisząca



Podłączenia:



Dostępne rozmiary:




Dane techniczne:

Ciśnienie robocze: 1,0 MPa. Maksymalna temperatura pracy: 95°C.

A ↓	B ↔	C [mm]	D [mm]	D' [mm]	D'' [mm]	75/65/20°C [W]	55/45/20°C [W]	↳ [dm³]	⬆️ [kg]
660	80	560	-	-	-	124	66	3,05	9,5
660	278	560	82	98	-	372	198	9,16	29,6
660	360	560	-	98	-	496	265	12,21	39,1
660	442	560	246	98	-	620	331	15,27	48,6
660	524	560	-	98	-	744	397	18,32	58,1
660	606	560	246	180	-	868	463	21,37	67,6
660	688	560	328	180	-	992	529	24,42	77,1
660	770	560	410	180	-	1116	595	27,48	86,6
660	852	560	492	180	-	1240	661	30,53	96,1
660	934	560	574	180	164	1364	728	33,58	105,6
660	1016	560	656	180	164	1488	794	36,64	115,1
660	1098	560	738	180	246	1612	860	39,69	124,6
660	1180	560	820	180	246	1736	926	42,74	134,1
660	1262	560	738	262	246	1860	992	45,80	143,6
660	1344	560	820	262	246	1984	1058	48,85	153,1
660	1426	560	902	262	246	2108	1124	51,90	162,6

# Plain wersja 660 wisząca



A – wysokość B – szerokość C – rozstaw połączeń D – rozstaw konsol w poziomie