

## 2AMW42U4RGC

| Kombinace vnitřních jednotek | CHLAZENÍ |      |   |   |                   |      |      |                      |     |      |     |      |        |      |              |     |
|------------------------------|----------|------|---|---|-------------------|------|------|----------------------|-----|------|-----|------|--------|------|--------------|-----|
|                              | A        | B    | C | D | Celkový výkon (W) |      |      | Elektrický odběr (W) |     |      | (A) | EER  | Pdc(W) | SEER | Energ. třída | Qce |
|                              | W        | W    | W | W | NOM               | MIN  | MAX  | NOM                  | MIN | MAX  |     | W/W  |        |      |              |     |
| 1.5+2.0                      | 1500     | 2000 |   |   | 3500              | 1100 | 3800 | 770                  | 330 | 2300 | 3,4 | 4,55 | 3500   | 7,5  | A++          | 163 |
| 1.5+2.5                      | 1950     | 2150 |   |   | 4100              | 1100 | 5500 | 950                  | 330 | 2300 | 4,2 | 4,32 | 4100   | 7,6  | A++          | 189 |
| 1.5+3.5                      | 1900     | 2200 |   |   | 4100              | 1100 | 5500 | 950                  | 330 | 2300 | 4,2 | 4,32 | 4100   | 7,8  | A++          | 217 |
| 2.0+2.0                      | 2050     | 2050 |   |   | 4100              | 1100 | 5500 | 950                  | 330 | 2300 | 4,2 | 4,32 | 4100   | 7,6  | A++          | 189 |
| 2.0+2.5                      | 1900     | 2200 |   |   | 4100              | 1100 | 5500 | 950                  | 330 | 2300 | 4,2 | 4,32 | 4100   | 7,8  | A++          | 184 |
| 2.0+3.5                      | 1800     | 2300 |   |   | 4100              | 1100 | 5500 | 920                  | 330 | 2300 | 4,0 | 4,46 | 4100   | 8,0  | A++          | 179 |
| 2.5+2.5                      | 2050     | 2050 |   |   | 4100              | 1100 | 5500 | 950                  | 330 | 2300 | 4,0 | 4,46 | 4100   | 8,0  | A++          | 179 |
| 2.5+3.5                      | 2000     | 2100 |   |   | 4100              | 1100 | 5500 | 950                  | 330 | 2300 | 4,0 | 4,46 | 4100   | 8,0  | A++          | 179 |

| Kombinace vnitřních jednotek | VYTÁPĚNÍ |      |   |   |                   |      |      |                      |     |      |     |      |        |      |              |      |
|------------------------------|----------|------|---|---|-------------------|------|------|----------------------|-----|------|-----|------|--------|------|--------------|------|
|                              | A        | B    | C | D | Celkový výkon (W) |      |      | Elektrický odběr (W) |     |      | (A) | COP  | Pdh(W) | SCOP | Energ. třída | Qhe  |
|                              | W        | W    | W | W | NOM               | MIN  | MAX  | NOM                  | MIN | MAX  |     | W/W  |        |      |              |      |
| 1.5+2.0                      | 1700     | 2300 |   |   | 4000              | 1000 | 5000 | 1000                 | 200 | 2300 | 4,4 | 4,00 | 3200   | 4,10 | A+           | 1093 |
| 1.5+2.5                      | 2150     | 2350 |   |   | 4500              | 1000 | 6000 | 990                  | 200 | 2300 | 4,3 | 4,55 | 3500   | 4,10 | A+           | 1195 |
| 1.5+3.5                      | 2100     | 2400 |   |   | 4500              | 1000 | 6000 | 970                  | 200 | 2300 | 4,3 | 4,64 | 3500   | 4,30 | A+           | 1427 |
| 2.0+2.0                      | 2250     | 2250 |   |   | 4500              | 1000 | 6000 | 990                  | 200 | 2300 | 4,3 | 4,55 | 3500   | 4,10 | A+           | 1195 |
| 2.0+2.5                      | 2100     | 2400 |   |   | 4500              | 1000 | 6000 | 970                  | 200 | 2300 | 4,3 | 4,64 | 3500   | 4,30 | A+           | 1140 |
| 2.0+3.5                      | 2000     | 2500 |   |   | 4500              | 1000 | 6000 | 950                  | 200 | 2300 | 4,2 | 4,74 | 3500   | 4,40 | A+           | 1114 |
| 2.5+2.5                      | 2250     | 2250 |   |   | 4500              | 1000 | 6000 | 950                  | 200 | 2300 | 4,2 | 4,74 | 3500   | 4,40 | A+           | 1114 |
| 2.5+3.5                      | 2150     | 2350 |   |   | 4500              | 1000 | 6000 | 950                  | 200 | 2300 | 4,2 | 4,74 | 3500   | 4,60 | A++          | 1065 |

## 2AMW52U4RXC

| Kombinace vnitřních jednotek | CHLAZENÍ |      |   |   |                   |      |      |                      |     |      |     |      |        |      |              |     |
|------------------------------|----------|------|---|---|-------------------|------|------|----------------------|-----|------|-----|------|--------|------|--------------|-----|
|                              | A        | B    | C | D | Celkový výkon (W) |      |      | Elektrický odběr (W) |     |      | (A) | EER  | Pdc(W) | SEER | Energ. třída | Qce |
|                              | W        | W    | W | W | NOM               | MIN  | MAX  | NOM                  | MIN | MAX  |     | W/W  |        |      |              |     |
| 1.5+2.5                      | 1500     | 2500 |   |   | 4000              | 1200 | 5000 | 1000                 | 390 | 2000 | 4,4 | 4,00 | 4000   | 7,4  | A++          | 189 |
| 1.5+3.5                      | 1500     | 3500 |   |   | 5000              | 1200 | 6600 | 1260                 | 390 | 2500 | 5,5 | 4,00 | 5000   | 7,6  | A++          | 230 |
| 2.0+2.0                      | 2000     | 2000 |   |   | 4000              | 1200 | 5000 | 1000                 | 390 | 2000 | 4,4 | 4,00 | 4000   | 7,4  | A++          | 189 |
| 2.0+2.5                      | 2000     | 2500 |   |   | 4500              | 1200 | 6000 | 1150                 | 390 | 2100 | 5,1 | 3,91 | 4500   | 7,5  | A++          | 210 |
| 2.0+3.5                      | 2000     | 3000 |   |   | 5000              | 1200 | 6600 | 1260                 | 390 | 2300 | 5,5 | 3,97 | 5000   | 7,5  | A++          | 233 |
| 2.5+2.5                      | 2500     | 2500 |   |   | 5000              | 1200 | 6600 | 1245                 | 390 | 2500 | 5,5 | 4,02 | 5000   | 7,6  | A++          | 230 |
| 2.5+3.5                      | 2300     | 2700 |   |   | 5000              | 1200 | 6600 | 1245                 | 390 | 2500 | 5,5 | 4,02 | 5000   | 7,65 | A++          | 229 |
| 3.5+3.5                      | 2500     | 2500 |   |   | 5000              | 1200 | 6600 | 1245                 | 390 | 2500 | 5,5 | 4,02 | 5000   | 7,65 | A++          | 229 |

| Kombinace vnitřních jednotek | VYTÁPĚNÍ |      |   |   |                   |      |      |                      |     |      |     |      |        |      |              |      |
|------------------------------|----------|------|---|---|-------------------|------|------|----------------------|-----|------|-----|------|--------|------|--------------|------|
|                              | A        | B    | C | D | Celkový výkon (W) |      |      | Elektrický odběr (W) |     |      | (A) | COP  | Pdh(W) | SCOP | Energ. třída | Qhe  |
|                              | W        | W    | W | W | NOM               | MIN  | MAX  | NOM                  | MIN | MAX  |     | W/W  |        |      |              |      |
| 1.5+2.5                      | 1800     | 2800 |   |   | 4600              | 1200 | 6500 | 1200                 | 290 | 2000 | 5,3 | 3,83 | 4000   | 4,1  | A+           | 1366 |
| 1.5+3.5                      | 1800     | 3200 |   |   | 5000              | 1200 | 7000 | 1300                 | 290 | 2300 | 5,7 | 3,85 | 4500   | 4,3  | A+           | 1465 |
| 2.0+2.0                      | 2300     | 2300 |   |   | 4600              | 1200 | 6500 | 1200                 | 290 | 2000 | 5,3 | 3,83 | 4000   | 4,1  | A+           | 1366 |
| 2.0+2.5                      | 2300     | 3700 |   |   | 5000              | 1200 | 6700 | 1300                 | 290 | 2300 | 5,7 | 3,83 | 4500   | 4,3  | A+           | 1465 |
| 2.0+3.5                      | 2000     | 3500 |   |   | 5500              | 1200 | 7000 | 1300                 | 290 | 2500 | 5,7 | 4,23 | 4500   | 4,3  | A+           | 1465 |
| 2.5+2.5                      | 2750     | 2750 |   |   | 5500              | 1200 | 7000 | 1300                 | 290 | 2500 | 5,7 | 4,23 | 4500   | 4,4  | A+           | 1432 |
| 2.5+3.5                      | 2500     | 3000 |   |   | 5500              | 1200 | 7000 | 1290                 | 290 | 2500 | 5,7 | 4,26 | 4500   | 4,6  | A++          | 1370 |
| 3.5+3.5                      | 2750     | 2750 |   |   | 5500              | 1200 | 7000 | 1290                 | 290 | 2500 | 5,6 | 4,30 | 4500   | 4,62 | A++          | 1364 |

## 3AMW62U4RJC

| Kombinace vnitřních jednotek | CHLAZENÍ |      |      |   |                   |      |      |                      |     |      |
|------------------------------|----------|------|------|---|-------------------|------|------|----------------------|-----|------|
|                              | A        | B    | C    | D | Celkový výkon (W) |      |      | Elektrický odběr (W) |     |      |
|                              | W        | W    | W    | W | NOM               | MIN  | MAX  | NOM                  | MIN | MAX  |
| 1.5+5.0                      | 1500     | 4800 |      |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+2.5                      | 2000     | 2500 |      |   | 4500              | 2000 | 8000 | 1300                 | 500 | 3000 |
| 2.0+3.5                      | 2000     | 3500 |      |   | 5500              | 2000 | 8500 | 1400                 | 500 | 3500 |
| 2.0+5.0                      | 2000     | 4300 |      |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.5+2.5                      | 2500     | 2500 |      |   | 5000              | 2000 | 8000 | 1300                 | 500 | 3000 |
| 2.5+3.5                      | 2500     | 3500 |      |   | 6000              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.5+5.0                      | 2300     | 4000 |      |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 3.5+3.5                      | 3150     | 3150 |      |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 3.5+5.0                      | 2500     | 3800 |      |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 1.5+1.5+2.5                  | 1500     | 1500 | 2500 |   | 5500              | 2000 | 8500 | 1400                 | 500 | 3500 |
| 1.5+1.5+3.5                  | 1500     | 1500 | 3300 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 1.5+1.5+5.0                  | 1200     | 1200 | 3900 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 1.5+2.0+2.0                  | 1500     | 2000 | 2000 |   | 5500              | 2000 | 8500 | 1400                 | 500 | 3500 |
| 1.5+2.0+2.5                  | 1500     | 2000 | 2500 |   | 6000              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 1.5+2.0+3.5                  | 1400     | 1900 | 3000 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 1.5+2.5+2.5                  | 1500     | 2400 | 2400 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 1.5+2.5+3.5                  | 1200     | 2000 | 3100 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+2.0+2.0                  | 2100     | 2100 | 2100 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+2.0+2.5                  | 2000     | 2000 | 2300 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+2.0+3.5                  | 1800     | 1800 | 3700 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+2.0+5.0                  | 1500     | 1500 | 3300 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+2.5+2.5                  | 1700     | 2300 | 2300 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+2.5+3.5                  | 1500     | 2000 | 2800 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+2.5+5.0                  | 1500     | 2000 | 3200 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+3.5+3.5                  | 1300     | 2500 | 2500 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.0+3.5+5.0                  | 1200     | 2300 | 2800 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.5+2.5+2.5                  | 2100     | 2100 | 2100 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |
| 2.5+2.5+3.5                  | 2000     | 2000 | 2300 |   | 6300              | 2000 | 9000 | 1470                 | 500 | 3900 |

| Kombinace vnitřních jednotek | VYTÁPĚNÍ |      |      |   |                   |      |      |                      |     |      |
|------------------------------|----------|------|------|---|-------------------|------|------|----------------------|-----|------|
|                              | A        | B    | C    | D | Celkový výkon (W) |      |      | Elektrický odběr (W) |     |      |
|                              | W        | W    | W    | W | NOM               | MIN  | MAX  | NOM                  | MIN | MAX  |
| 1.5+5.0                      | 2000     | 5000 |      |   | 7000              | 2000 | 9000 | 1580                 | 500 | 3900 |
| 2.0+2.5                      | 2500     | 3500 |      |   | 6000              | 2000 | 8000 | 1500                 | 500 | 3000 |
| 2.0+3.5                      | 2600     | 3700 |      |   | 6300              | 2000 | 8500 | 1550                 | 500 | 3500 |
| 2.0+5.0                      | 2300     | 4700 |      |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 2.5+2.5                      | 3000     | 3000 |      |   | 6000              | 2000 | 8500 | 1500                 | 500 | 3500 |
| 2.5+3.5                      | 3000     | 3700 |      |   | 6700              | 2000 | 9000 | 1520                 | 500 | 3900 |
| 2.5+5.0                      | 2420     | 4780 |      |   | 7200              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 3.5+3.5                      | 3500     | 3500 |      |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 3.5+5.0                      | 3000     | 4000 |      |   | 7000              | 2000 | 9000 | 1560                 | 500 | 3900 |
| 1.5+1.5+2.5                  | 2000     | 2000 | 2600 |   | 6600              | 2000 | 8500 | 1550                 | 500 | 3500 |
| 1.5+1.5+3.5                  | 1800     | 1800 | 3400 |   | 7000              | 2000 | 9000 | 1580                 | 500 | 3900 |
| 1.5+1.5+5.0                  | 1600     | 1600 | 3800 |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 1.5+2.0+2.0                  | 1500     | 2600 | 2700 |   | 6800              | 2000 | 8500 | 1550                 | 500 | 3500 |
| 1.5+2.0+2.5                  | 1500     | 2600 | 2900 |   | 7000              | 2000 | 9000 | 1580                 | 500 | 3900 |
| 1.5+2.0+3.5                  | 1400     | 2300 | 3300 |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 1.5+2.5+2.5                  | 1400     | 2800 | 2800 |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 1.5+2.5+3.5                  | 1500     | 2500 | 3000 |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 2.0+2.0+2.0                  | 2333     | 2333 | 2334 |   | 7000              | 2000 | 9000 | 1600                 | 500 | 3900 |
| 2.0+2.0+2.5                  | 2240     | 2240 | 2520 |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 2.0+2.0+3.5                  | 2140     | 2140 | 2720 |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 2.0+2.0+5.0                  | 1900     | 1900 | 3200 |   | 7000              | 2000 | 9000 | 1560                 | 500 | 3900 |
| 2.0+2.5+2.5                  | 2020     | 2490 | 2490 |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 2.0+2.5+3.5                  | 2040     | 2180 | 2780 |   | 7000              | 2000 | 9000 | 1570                 | 500 | 3900 |
| 2.0+2.5+5.0                  | 1700     | 2000 | 3300 |   | 7000              | 2000 | 9000 | 1560                 | 500 | 3900 |
| 2.0+3.5+3.5                  | 1680     | 2660 | 2660 |   | 7000              | 2000 | 9000 | 1560                 | 500 | 3900 |
| 2.0+3.5+5.0                  | 1500     | 2300 | 3200 |   | 7000              | 2000 | 9000 | 1550                 | 500 | 3900 |
| 2.5+2.5+2.5                  | 2333     | 2333 | 2334 |   | 7000              | 2000 | 9000 | 1580                 | 500 | 3900 |
| 2.5+2.5+3.5                  | 2200     | 2200 | 2600 |   | 7000              | 2000 | 9000 | 1560                 | 500 | 3900 |

# Kombinační tabulky

## 3AMW72U4RJC

| Kombinace<br>vnitřních<br>jednotek | CHLAZENÍ |      |      |   |                   |      |       |                      |     |      |
|------------------------------------|----------|------|------|---|-------------------|------|-------|----------------------|-----|------|
|                                    | A        | B    | C    | D | Celkový výkon (W) |      |       | Elektrický odběr (W) |     |      |
|                                    | W        | W    | W    | W | NOM               | MIN  | MAX   | NOM                  | MIN | MAX  |
| 2.0+2.5                            | 2000     | 2500 |      |   | 4500              | 2000 | 6500  | 1300                 | 440 | 2200 |
| 2.0+3.5                            | 2000     | 3500 |      |   | 5500              | 2000 | 8000  | 1450                 | 460 | 2550 |
| 2.0+5.0                            | 2000     | 5000 |      |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 2.5+2.5                            | 2500     | 2500 |      |   | 5000              | 2000 | 7000  | 1400                 | 460 | 2200 |
| 2.5+3.5                            | 2500     | 3500 |      |   | 6000              | 2000 | 8000  | 1570                 | 500 | 3000 |
| 2.5+5.0                            | 2500     | 4500 |      |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 3.5+3.5                            | 3500     | 3500 |      |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 3.5+5.0                            | 2800     | 4200 |      |   | 7000              | 2000 | 10000 | 1730                 | 500 | 3900 |
| 5.0+5.0                            | 3500     | 3500 |      |   | 7000              | 2000 | 10000 | 1710                 | 500 | 3900 |
| 1.5+2.0+2.5                        | 1500     | 2000 | 2500 |   | 6000              | 2000 | 8000  | 1570                 | 500 | 3000 |
| 1.5+2.0+3.5                        | 1500     | 2000 | 3500 |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 1.5+2.0+5.0                        | 1200     | 1800 | 4000 |   | 7000              | 2000 | 10000 | 1730                 | 500 | 3900 |
| 1.5+2.5+2.5                        | 1500     | 2500 | 2500 |   | 6500              | 2000 | 9000  | 1660                 | 500 | 3500 |
| 1.5+2.5+3.5                        | 1300     | 2500 | 3200 |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 1.5+3.5+3.5                        | 1000     | 3000 | 3000 |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 2.0+2.0+2.0                        | 2000     | 2000 | 2000 |   | 6000              | 2000 | 8000  | 1570                 | 500 | 3000 |
| 2.0+2.0+2.5                        | 2000     | 2000 | 2500 |   | 6500              | 2000 | 9000  | 1660                 | 500 | 3500 |
| 2.0+2.0+3.5                        | 2000     | 2000 | 3000 |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 2.0+2.0+5.0                        | 1800     | 1800 | 3400 |   | 7000              | 2000 | 10000 | 1730                 | 500 | 3900 |
| 2.0+2.5+2.5                        | 2000     | 2500 | 2500 |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 2.0+2.5+3.5                        | 1700     | 2300 | 3000 |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 2.0+2.5+5.0                        | 1600     | 2000 | 3400 |   | 7000              | 2000 | 10000 | 1730                 | 500 | 3900 |
| 2.0+3.5+3.5                        | 1600     | 2700 | 2700 |   | 7000              | 2000 | 10000 | 1730                 | 500 | 3900 |
| 2.0+3.5+5.0                        | 1600     | 2200 | 3200 |   | 7000              | 2000 | 10000 | 1710                 | 500 | 3900 |
| 2.5+2.5+2.5                        | 2333     | 2333 | 2334 |   | 7000              | 2000 | 10000 | 1750                 | 500 | 3900 |
| 2.5+2.5+3.5                        | 2100     | 2100 | 2800 |   | 7000              | 2000 | 10000 | 1730                 | 500 | 3900 |
| 2.5+2.5+5.0                        | 1800     | 1800 | 3400 |   | 7000              | 2000 | 10000 | 1710                 | 500 | 3900 |
| 2.5+3.5+3.5                        | 2000     | 2500 | 2500 |   | 7000              | 2000 | 10000 | 1730                 | 500 | 3900 |
| 3.5+3.5+3.5                        | 2333     | 2333 | 2334 |   | 7000              | 2000 | 10000 | 1710                 | 500 | 3900 |

| Kombinace<br>vnitřních<br>jednotek | VYTÁPĚNÍ |      |      |   |                   |      |       |                      |     |      |
|------------------------------------|----------|------|------|---|-------------------|------|-------|----------------------|-----|------|
|                                    | A        | B    | C    | D | Celkový výkon (W) |      |       | Elektrický odběr (W) |     |      |
|                                    | W        | W    | W    | W | NOM               | MIN  | MAX   | NOM                  | MIN | MAX  |
| 2.0+2.5                            | 2500     | 3000 |      |   | 5500              | 2000 | 6500  | 1470                 | 435 | 2250 |
| 2.0+3.5                            | 2500     | 4000 |      |   | 6500              | 2000 | 8000  | 1700                 | 415 | 2450 |
| 2.0+5.0                            | 2600     | 5400 |      |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 2.5+2.5                            | 3000     | 3000 |      |   | 6000              | 2000 | 7500  | 1590                 | 435 | 2500 |
| 2.5+3.5                            | 3300     | 3700 |      |   | 7000              | 2000 | 9000  | 1800                 | 500 | 3500 |
| 2.5+5.0                            | 2800     | 5200 |      |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 3.5+3.5                            | 4000     | 4000 |      |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 3.5+5.0                            | 3180     | 4740 |      |   | 8000              | 2000 | 10000 | 1980                 | 500 | 3900 |
| 5.0+5.0                            | 3960     | 3960 |      |   | 8000              | 2000 | 10000 | 1960                 | 500 | 3900 |
| 1.5+2.0+2.5                        | 1500     | 2500 | 3000 |   | 7000              | 2000 | 9000  | 1800                 | 500 | 3500 |
| 1.5+2.0+3.5                        | 1500     | 2500 | 4000 |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 1.5+2.0+5.0                        | 1400     | 2500 | 4100 |   | 8000              | 2000 | 10000 | 1980                 | 500 | 3900 |
| 1.5+2.5+2.5                        | 1500     | 3000 | 3000 |   | 7500              | 2000 | 9500  | 1900                 | 500 | 3700 |
| 1.5+2.5+3.5                        | 2000     | 2500 | 3500 |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 1.5+3.5+3.5                        | 1600     | 3200 | 3200 |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 2.0+2.0+2.0                        | 2333     | 2333 | 2334 |   | 7000              | 2000 | 9000  | 1800                 | 500 | 3500 |
| 2.0+2.0+2.5                        | 2400     | 2400 | 2700 |   | 7500              | 2000 | 9500  | 1900                 | 500 | 3700 |
| 2.0+2.0+3.5                        | 2300     | 2300 | 3400 |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 2.0+2.0+5.0                        | 2000     | 2000 | 4000 |   | 8000              | 2000 | 10000 | 1980                 | 500 | 3900 |
| 2.0+2.5+2.5                        | 2400     | 2800 | 2800 |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 2.0+2.5+3.5                        | 2200     | 2600 | 3200 |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 2.0+2.5+5.0                        | 1800     | 2300 | 3900 |   | 8000              | 2000 | 10000 | 1980                 | 500 | 3900 |
| 2.0+3.5+3.5                        | 2100     | 2950 | 2950 |   | 8000              | 2000 | 10000 | 1980                 | 500 | 3900 |
| 2.0+3.5+5.0                        | 1700     | 2500 | 3800 |   | 8000              | 2000 | 10000 | 1960                 | 500 | 3900 |
| 2.5+2.5+2.5                        | 2666     | 2667 | 2667 |   | 8000              | 2000 | 10000 | 2000                 | 500 | 3900 |
| 2.5+2.5+3.5                        | 2500     | 2500 | 3000 |   | 8000              | 2000 | 10000 | 1980                 | 500 | 3900 |
| 2.5+2.5+5.0                        | 1900     | 1900 | 4200 |   | 8000              | 2000 | 10000 | 1960                 | 500 | 3900 |
| 2.5+3.5+3.5                        | 2200     | 2900 | 2900 |   | 8000              | 2000 | 10000 | 1980                 | 500 | 3900 |
| 3.5+3.5+3.5                        | 2666     | 2667 | 2667 |   | 8000              | 2000 | 10000 | 1960                 | 500 | 3900 |

## 4AMW81U4RJC

| Kombinace<br>vnitřních<br>jednotek | CHLAZENÍ |      |      |      |                   |      |       |                      |     |      |
|------------------------------------|----------|------|------|------|-------------------|------|-------|----------------------|-----|------|
|                                    |          |      |      |      | Celkový výkon (W) |      |       | Elektrický odběr (W) |     |      |
|                                    | A        | B    | C    | D    | NOM               | MIN  | MAX   | NOM                  | MIN | MAX  |
| 2.0+5.0                            | 2100     | 4800 |      |      | 6900              | 2400 | 8000  | 1950                 | 500 | 3300 |
| 2.5+2.5                            | 2600     | 2600 |      |      | 5200              | 2200 | 7000  | 1680                 | 500 | 3000 |
| 2.5+3.5                            | 2600     | 3500 |      |      | 6100              | 2200 | 7200  | 1850                 | 500 | 3100 |
| 2.5+5.0                            | 2600     | 4800 |      |      | 7400              | 2400 | 9000  | 2100                 | 500 | 3500 |
| 3.5+3.5                            | 3500     | 3500 |      |      | 7000              | 2200 | 8000  | 2050                 | 500 | 3100 |
| 3.5+5.0                            | 3200     | 4800 |      |      | 8000              | 2200 | 9500  | 2110                 | 500 | 3500 |
| 5.0+5.0                            | 4000     | 4000 |      |      | 8000              | 2300 | 11000 | 2200                 | 500 | 3800 |
| 2.0+2.0+2.5                        | 2100     | 2100 | 2600 |      | 6800              | 2400 | 8700  | 1980                 | 540 | 3500 |
| 2.0+2.0+3.5                        | 2100     | 2100 | 3200 |      | 7400              | 2400 | 9000  | 2130                 | 540 | 3500 |
| 2.0+2.0+5.0                        | 1910     | 1910 | 4180 |      | 8000              | 2400 | 10000 | 2250                 | 540 | 3800 |
| 2.0+2.5+2.5                        | 2100     | 2600 | 2600 |      | 7300              | 2400 | 9000  | 2200                 | 540 | 3600 |
| 2.0+2.5+3.5                        | 2100     | 2600 | 3300 |      | 8000              | 2400 | 9500  | 2250                 | 540 | 3700 |
| 2.0+2.5+5.0                        | 1810     | 2240 | 3950 |      | 8000              | 2400 | 10500 | 2250                 | 540 | 3800 |
| 2.0+3.5+3.5                        | 2020     | 2990 | 2990 |      | 8000              | 2400 | 10000 | 2250                 | 540 | 3700 |
| 2.5+2.5+2.5                        | 2600     | 2600 | 2600 |      | 7800              | 2400 | 9500  | 2230                 | 540 | 3700 |
| 2.5+2.5+3.5                        | 2540     | 2540 | 2920 |      | 8000              | 2400 | 10000 | 2250                 | 540 | 3800 |
| 2.5+2.5+5.0                        | 2130     | 2130 | 3740 |      | 8000              | 2400 | 10500 | 2250                 | 540 | 4000 |
| 2.5+3.5+3.5                        | 2370     | 2815 | 2815 |      | 8000              | 2400 | 10000 | 2250                 | 540 | 4000 |
| 2.5+3.5+5.0                        | 2010     | 2480 | 3510 |      | 8000              | 2400 | 10500 | 2250                 | 540 | 3800 |
| 3.5+3.5+3.5                        | 2667     | 2667 | 2667 |      | 8000              | 2400 | 10500 | 2250                 | 540 | 3800 |
| 2.0+2.0+2.0+2.0                    | 2000     | 2000 | 2000 | 2000 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.0+2.0+2.0+2.5                    | 1933     | 1933 | 1933 | 2200 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.0+2.0+2.0+3.5                    | 1810     | 1810 | 1810 | 2570 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.0+2.0+2.0+5.0                    | 1550     | 1550 | 1550 | 3350 | 8000              | 2600 | 11500 | 2270                 | 580 | 4000 |
| 2.0+2.0+2.5+2.5                    | 1830     | 1830 | 2170 | 2170 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.0+2.0+2.5+3.5                    | 1720     | 1720 | 2130 | 2430 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.0+2.0+2.5+5.0                    | 1480     | 1480 | 1840 | 3200 | 8000              | 2600 | 11500 | 2270                 | 580 | 4000 |
| 2.0+2.0+3.5+3.5                    | 1620     | 1620 | 2380 | 2380 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.0+2.5+2.5+2.5                    | 1850     | 2050 | 2050 | 2050 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.0+2.5+2.5+3.5                    | 1640     | 1930 | 1930 | 2500 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.0+2.5+3.5+3.5                    | 1550     | 1920 | 2265 | 2265 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.5+2.5+2.5+2.5                    | 2000     | 2000 | 2000 | 2000 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |
| 2.5+2.5+2.5+3.5                    | 1940     | 1940 | 1940 | 2180 | 8000              | 2600 | 11500 | 2250                 | 580 | 4000 |

  

| Kombinace<br>vnitřních<br>jednotek | VYTÁPĚNÍ |      |      |   |                   |      |       |                      |     |      |
|------------------------------------|----------|------|------|---|-------------------|------|-------|----------------------|-----|------|
|                                    |          |      |      |   | Celkový výkon (W) |      |       | Elektrický odběr (W) |     |      |
|                                    | A        | B    | C    | D | NOM               | MIN  | MAX   | NOM                  | MIN | MAX  |
| 2.0+5.0                            | 2600     | 5400 |      |   | 8000              | 2000 | 8500  | 1950                 | 400 | 3300 |
| 2.5+2.5                            | 3000     | 3000 |      |   | 6000              | 1800 | 7200  | 1680                 | 400 | 3000 |
| 2.5+3.5                            | 3000     | 3700 |      |   | 6700              | 1800 | 7500  | 1850                 | 400 | 3100 |
| 2.5+5.0                            | 3000     | 5500 |      |   | 8500              | 2000 | 9500  | 2100                 | 400 | 3500 |
| 3.5+3.5                            | 3700     | 3700 |      |   | 7400              | 1800 | 8700  | 2050                 | 400 | 3100 |
| 3.5+5.0                            | 3620     | 5380 |      |   | 9000              | 2000 | 9700  | 2110                 | 400 | 3500 |
| 5.0+5.0                            | 4500     | 4500 |      |   | 9000              | 2000 | 11000 | 2200                 | 420 | 3800 |
| 2.0+2.0+2.5                        | 2600     | 2600 | 3000 |   | 8200              | 2200 | 9200  | 1980                 | 420 | 3500 |
| 2.0+2.0+3.5                        | 2600     | 2600 | 3700 |   | 8900              | 2200 | 9500  | 2130                 | 420 | 3500 |
| 2.0+2.0+5.0                        | 2187     | 2187 | 4626 |   | 9000              | 2200 | 10500 | 2250                 | 420 | 3800 |
| 2.0+2.5+2.5                        | 2600     | 3000 | 3000 |   | 8600              | 2200 | 9500  | 2200                 | 420 | 3600 |
| 2.0+2.5+3.5                        | 2520     | 2900 | 3580 |   | 8600              | 2200 | 10000 | 2250                 | 420 | 3700 |
| 2.0+2.5+5.0                        | 2110     | 2430 | 4460 |   | 9000              | 2200 | 10500 | 2250                 | 420 | 3800 |
| 2.0+3.5+3.5                        | 2340     | 3330 | 3330 |   | 9000              | 2200 | 10000 | 2250                 | 420 | 3700 |
| 2.5+2.5+2.5                        | 3000     | 3000 | 3000 |   | 8600              | 2200 | 10000 | 2230                 | 420 | 3700 |
| 2.5+2.5+3.5                        | 2784     | 2784 | 3433 |   | 9000              | 2200 | 10000 | 2250                 | 420 | 3800 |
| 2.5+2.5+5.0                        | 2350     | 2350 | 4300 |   | 9000              | 2200 | 10500 | 2250                 | 420 | 4000 |
| 2.5+3.5+3.5                        | 2600     | 3200 | 3200 |   | 9000              | 2200 | 10000 | 2250                 | 420 | 4000 |
| 2.5+3.5+5.0                        | 2210     | 2730 | 4060 |   |                   |      |       |                      |     |      |

| Kombinace<br>vnitřních<br>jednotek | CHLAZENÍ          |      |      |      |       |      |                      |      |     |      |      |            |        |      |                 |     |
|------------------------------------|-------------------|------|------|------|-------|------|----------------------|------|-----|------|------|------------|--------|------|-----------------|-----|
|                                    | Celkový výkon (W) |      |      |      |       |      | Elektrický odběr (W) |      |     |      | (A)  | EER<br>W/W | Pdc(W) | SEER | Energ.<br>třída | Qce |
|                                    | A                 | B    | C    | D    | NOM   | MIN  | MAX                  | NOM  | MIN | MAX  |      |            |        |      |                 |     |
| 2.0+5.0                            | 2100              | 5000 |      |      | 7100  | 2400 | 8000                 | 1950 | 500 | 3300 | 8,5  | 3,64       | 7100   | 5,95 | A+              | 418 |
| 2.5+5.0                            | 2600              | 5000 |      |      | 7600  | 2400 | 9000                 | 2100 | 500 | 3500 | 9,1  | 3,62       | 7600   | 5,95 | A+              | 447 |
| 3.5+3.5                            | 3500              | 3500 |      |      | 7000  | 2200 | 8000                 | 2050 | 500 | 3100 | 8,9  | 3,41       | 7000   | 5,76 | A+              | 425 |
| 3.5+5.0                            | 3500              | 5000 |      |      | 8500  | 2200 | 9500                 | 2310 | 500 | 3500 | 10,0 | 3,68       | 8500   | 5,98 | A+              | 497 |
| 5.0+5.0                            | 5000              | 5000 |      |      | 10000 | 2200 | 10500                | 3150 | 500 | 4000 | 13,7 | 3,17       | 10000  | 6,05 | A+              | 579 |
| 2.0+2.0+2.5                        | 2100              | 2100 | 2600 |      | 6800  | 2400 | 8700                 | 1980 | 540 | 3500 | 8,6  | 3,43       | 6800   | 6,11 | A++             | 390 |
| 2.0+2.0+3.5                        | 2100              | 2100 | 3500 |      | 7700  | 2400 | 9000                 | 2130 | 540 | 3500 | 9,3  | 3,62       | 7700   | 6,13 | A++             | 440 |
| 2.0+2.0+5.0                        | 2100              | 2100 | 5000 |      | 9200  | 2400 | 10500                | 2900 | 540 | 3800 | 12,6 | 3,17       | 9200   | 6,19 | A++             | 520 |
| 2.0+2.5+2.5                        | 2100              | 2600 | 2600 |      | 7300  | 2400 | 9000                 | 2200 | 540 | 3600 | 9,6  | 3,32       | 7300   | 6,11 | A++             | 418 |
| 2.0+2.5+3.5                        | 2100              | 2600 | 3500 |      | 8200  | 2400 | 9500                 | 2400 | 540 | 3700 | 10,4 | 3,42       | 8200   | 6,13 | A++             | 468 |
| 2.0+2.5+5.0                        | 2100              | 2600 | 5000 |      | 9700  | 2400 | 11000                | 3100 | 540 | 3800 | 13,5 | 3,13       | 9700   | 6,19 | A++             | 548 |
| 2.0+3.5+3.5                        | 2100              | 3500 | 3500 |      | 9100  | 2400 | 10000                | 2800 | 540 | 3700 | 12,2 | 3,25       | 9100   | 6,15 | A++             | 518 |
| 2.0+3.5+5.0                        | 2050              | 3100 | 4850 |      | 10000 | 2400 | 11000                | 3120 | 540 | 4000 | 13,6 | 3,21       | 10000  | 6,22 | A++             | 563 |
| 2.0+5.0+5.0                        | 1740              | 4130 | 4130 |      | 10000 | 2400 | 11500                | 3090 | 540 | 4000 | 13,4 | 3,24       | 10000  | 6,35 | A++             | 551 |
| 2.5+2.5+2.5                        | 2600              | 2600 | 2600 |      | 7800  | 2400 | 9800                 | 2300 | 540 | 3700 | 10,0 | 3,39       | 7800   | 6,11 | A++             | 447 |
| 2.5+2.5+3.5                        | 2600              | 2600 | 3500 |      | 8700  | 2400 | 10000                | 2600 | 540 | 3800 | 11,3 | 3,35       | 8700   | 6,13 | A++             | 497 |
| 2.5+2.5+5.0                        | 2550              | 2550 | 4900 |      | 10000 | 2400 | 11000                | 3100 | 540 | 4000 | 13,5 | 3,23       | 10000  | 6,19 | A++             | 565 |
| 2.5+3.5+3.5                        | 2600              | 3500 | 3500 |      | 9600  | 2400 | 10500                | 2850 | 540 | 3800 | 12,4 | 3,37       | 9600   | 6,15 | A++             | 546 |
| 2.5+3.5+5.0                        | 2400              | 2960 | 4640 |      | 10000 | 2400 | 11500                | 3150 | 540 | 4000 | 13,7 | 3,17       | 10000  | 6,22 | A++             | 563 |
| 2.5+5.0+5.0                        | 2060              | 3970 | 3970 |      | 10000 | 2400 | 11500                | 3100 | 540 | 4000 | 13,5 | 3,23       | 10000  | 6,35 | A++             | 551 |
| 3.5+3.5+3.5                        | 3200              | 3200 | 3200 |      | 9600  | 2400 | 10500                | 2950 | 540 | 3800 | 12,8 | 3,25       | 9600   | 6,21 | A++             | 541 |
| 3.5+3.5+5.0                        | 2800              | 2800 | 4400 |      | 10000 | 2400 | 11500                | 3100 | 540 | 4000 | 13,5 | 3,23       | 10000  | 6,31 | A++             | 555 |
| 3.5+5.0+5.0                        | 2420              | 3790 | 3790 |      | 10000 | 2400 | 11500                | 3000 | 540 | 4000 | 13,0 | 3,33       | 10000  | 6,39 | A++             | 548 |
| 5.0+5.0+5.0                        | 3300              | 3300 | 3300 |      | 9900  | 2600 | 11500                | 3100 | 540 | 4000 | 13,5 | 3,19       | 9900   | 6,79 | A++             | 510 |
| 2.0+2.0+2.0+2.0                    | 2100              | 2100 | 2100 | 2100 | 8400  | 2600 | 10000                | 2450 | 580 | 3800 | 10,7 | 3,43       | 8400   | 6,50 | A++             | 452 |
| 2.0+2.0+2.0+2.5                    | 2100              | 2100 | 2100 | 2600 | 8900  | 2600 | 10500                | 2600 | 580 | 4000 | 11,3 | 3,42       | 8900   | 6,50 | A++             | 479 |
| 2.0+2.0+2.0+3.5                    | 2100              | 2100 | 2100 | 3200 | 9500  | 2600 | 11000                | 3070 | 580 | 4000 | 13,3 | 3,09       | 9500   | 6,53 | A++             | 509 |
| 2.0+2.0+2.0+5.0                    | 1860              | 1860 | 1860 | 4420 | 10000 | 2600 | 11500                | 3090 | 580 | 4000 | 13,4 | 3,24       | 10000  | 6,58 | A++             | 532 |
| 2.0+2.0+2.5+2.5                    | 2100              | 2100 | 2600 | 2600 | 9400  | 2600 | 11000                | 2900 | 580 | 4000 | 12,6 | 3,24       | 9400   | 6,50 | A++             | 506 |
| 2.0+2.0+2.5+3.5                    | 2100              | 2100 | 2600 | 3200 | 10000 | 2600 | 11000                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 6,53 | A++             | 536 |
| 2.0+2.0+2.5+5.0                    | 1780              | 1780 | 2200 | 4240 | 10000 | 2600 | 11500                | 3100 | 580 | 4000 | 13,5 | 3,23       | 10000  | 6,58 | A++             | 532 |
| 2.0+2.0+3.5+3.5                    | 1980              | 1980 | 3020 | 3020 | 10000 | 2600 | 11000                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 6,61 | A++             | 530 |
| 2.0+2.0+3.5+5.0                    | 1700              | 1700 | 2580 | 4020 | 10000 | 2600 | 11500                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 6,73 | A++             | 520 |
| 2.0+2.0+5.0+5.0                    | 1480              | 1480 | 3520 | 3520 | 10000 | 2600 | 11500                | 3050 | 580 | 4000 | 13,3 | 3,28       | 10000  | 6,75 | A++             | 519 |
| 2.0+2.5+2.5+2.5                    | 2100              | 2600 | 2600 | 2600 | 9900  | 2600 | 11000                | 3100 | 580 | 4000 | 13,5 | 3,19       | 9900   | 6,50 | A++             | 533 |
| 2.0+2.5+2.5+3.5                    | 2000              | 2480 | 2480 | 3040 | 10000 | 2600 | 11000                | 3100 | 580 | 4000 | 13,5 | 3,23       | 10000  | 6,53 | A++             | 536 |
| 2.0+2.5+2.5+5.0                    | 1700              | 2110 | 2110 | 4080 | 10000 | 2600 | 11500                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 6,58 | A++             | 532 |
| 2.0+2.5+3.5+3.5                    | 1892              | 2342 | 2883 | 2883 | 10000 | 2600 | 11500                | 3090 | 580 | 4000 | 13,4 | 3,24       | 10000  | 6,61 | A++             | 530 |
| 2.0+2.5+3.5+5.0                    | 1628              | 2016 | 2481 | 3876 | 10000 | 2600 | 11500                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 6,75 | A++             | 519 |
| 2.0+2.5+5.0+5.0                    | 1429              | 1769 | 3401 | 3401 | 10000 | 2600 | 11500                | 3050 | 580 | 4000 | 13,3 | 3,28       | 10000  | 7,02 | A++             | 499 |
| 2.0+3.5+3.5+3.5                    | 1795              | 2735 | 2735 | 2735 | 10000 | 2600 | 11500                | 3100 | 580 | 4000 | 13,5 | 3,23       | 10000  | 7,15 | A++             | 490 |
| 2.0+3.5+3.5+5.0                    | 1556              | 2370 | 2370 | 3704 | 10000 | 2600 | 11500                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 7,18 | A++             | 487 |
| 2.5+2.5+2.5+2.5                    | 2500              | 2500 | 2500 | 2500 | 10000 | 2600 | 11500                | 3100 | 580 | 4000 | 13,8 | 3,23       | 10000  | 6,50 | A++             | 538 |
| 2.5+2.5+2.5+3.5                    | 2364              | 2364 | 2364 | 2909 | 10000 | 2600 | 11500                | 3100 | 580 | 4000 | 13,5 | 3,23       | 10000  | 6,53 | A++             | 536 |
| 2.5+2.5+2.5+5.0                    | 2031              | 2031 | 2031 | 3906 | 10000 | 2600 | 11500                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 6,58 | A++             | 532 |
| 2.5+2.5+3.5+3.5                    | 2241              | 2241 | 2759 | 2759 | 10000 | 2600 | 11500                | 3100 | 580 | 4000 | 13,5 | 3,23       | 10000  | 6,61 | A++             | 530 |
| 2.5+2.5+3.5+5.0                    | 1940              | 1940 | 2388 | 3731 | 10000 | 2600 | 11500                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 6,73 | A++             | 520 |
| 2.5+2.5+5.0+5.0                    | 1711              | 1711 | 3289 | 3289 | 10000 | 2600 | 11500                | 3050 | 580 | 4000 | 13,3 | 3,28       | 10000  | 7,02 | A++             | 499 |
| 2.5+3.5+3.5+3.5                    | 2131              | 2623 | 2623 | 2623 | 10000 | 2600 | 11500                | 3100 | 580 | 4000 | 13,5 | 3,23       | 10000  | 7,15 | A++             | 490 |
| 2.5+3.5+3.5+5.0                    | 1857              | 2286 | 2286 | 3571 | 10000 | 2600 | 11500                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 7,18 | A++             | 487 |
| 3.5+3.5+3.5+3.5                    | 2500              | 2500 | 2500 | 2500 | 10000 | 2600 | 11500                | 3100 | 580 | 4000 | 13,5 | 3,23       | 10000  | 7,20 | A++             | 486 |
| 3.5+3.5+3.5+5.0                    | 2192              | 2192 | 2192 | 3425 | 10000 | 2600 | 11500                | 3080 | 580 | 4000 | 13,4 | 3,25       | 10000  | 7,20 | A++             | 486 |

| Kombinace<br>vnitřních<br>jednotek | VYTÁPĚNÍ          |      |      |   |       |      |                      |      |     |      |      |            |        |      |                 |      |
|------------------------------------|-------------------|------|------|---|-------|------|----------------------|------|-----|------|------|------------|--------|------|-----------------|------|
|                                    | Celkový výkon (W) |      |      |   |       |      | Elektrický odběr (W) |      |     |      | (A)  | COP<br>W/W | Pdh(W) | SCOP | Energ.<br>třída | Qhe  |
|                                    | A                 | B    | C    | D | NOM   | MIN  | MAX                  | NOM  | MIN | MAX  |      |            |        |      |                 |      |
| 2.0+5.0                            | 2600              | 5800 |      |   | 8400  | 2000 | 8500                 | 2300 | 400 | 2833 | 10,0 | 3,65       | 8400   | 3,83 | A               | 3070 |
| 2.5+5.0                            | 3000              | 5800 |      |   | 8800  | 2000 | 9500                 | 2350 | 400 | 3167 | 10,2 | 3,74       | 8800   | 3,83 | A               | 3217 |
| 3.5+3.5                            | 3700              | 3700 |      |   | 7400  | 1800 | 8700                 | 2250 | 400 | 2900 | 9,8  | 3,29       | 7400   | 3,81 | A               | 2719 |
| 3.5+5.0                            | 3700              | 5800 |      |   | 9500  | 1800 | 9700                 | 2470 | 400 | 3233 | 10,7 | 3,85       | 9500   | 3,84 | A               | 3464 |
| 5.0+5.0                            | 5500              | 5500 |      |   | 11000 | 1800 | 11000                | 2790 | 400 | 3667 | 12,1 | 3,94       | 11000  | 3,89 | A               | 3959 |
| 2.0+2.0+2.5                        | 2600              | 2600 | 3000 |   | 8200  | 2200 | 9200                 | 2110 | 420 | 3067 | 9,2  | 3,89       | 8200   | 3,85 | A               | 2982 |
| 2.0+2.0+3.5                        | 2600              | 2600 | 3700 |   | 8900  | 2200 | 9500                 | 2530 | 420 | 3167 | 11,0 | 3,52       | 8900   | 3,86 | A               | 3228 |
| 2.0+2.0+5.0                        | 2600              | 2600 | 5800 |   | 11000 | 2200 | 10500                | 2750 | 420 | 3500 | 12,0 | 4,00       | 11000  | 3,88 | A               | 3969 |
| 2.0+2.5+2.5                        | 2600              | 3000 | 3000 |   | 8600  | 2200 | 9500                 | 2670 | 420 | 3167 | 11,6 | 3,22       | 8600   | 3,85 | A               | 3127 |
| 2.0+2.5+3.5                        | 2600              | 3000 | 3700 |   | 9300  | 2200 | 10000                | 2690 | 420 | 3333 | 11,7 | 3,46       | 9300   | 3,86 | A               | 3373 |
| 2.0+2.5+5.0                        | 2509              | 2895 | 5596 |   | 11000 | 2200 | 10500                | 2710 | 420 | 3500 | 11,8 | 4,06       | 11000  | 3,88 | A               | 3969 |
| 2.0+3.5+3.5                        | 2600              | 3700 | 3700 |   | 10000 | 2200 | 10000                | 2730 | 420 | 3333 | 11,9 | 3,66       | 10000  | 3,84 | A               | 3646 |
| 2.0+3.5+5.0                        | 2364              | 3364 | 5273 |   | 11000 | 2200 | 10500                | 2750 | 420 | 3500 | 12,0 | 4,00       | 11000  | 3,87 | A               | 3979 |
| 2.0+5.0+5.0                        | 2014              | 4493 | 4493 |   | 11000 | 2200 | 11000                | 2770 | 420 | 3667 | 12,0 | 3,97       | 11000  | 3,91 | A               | 3939 |
| 2.5+2.5+2.5                        | 3000              | 3000 | 3000 |   | 9000  | 2200 | 10000                | 2790 | 420 | 3333 | 12,1 | 3,23       | 9000   | 3,85 | A               | 3273 |
| 2.5+2.5+3.5                        | 3000              | 3000 | 3700 |   | 9700  | 2200 | 10000                | 2810 | 420 | 3333 | 12,2 | 3,45       | 9700   | 3,86 | A               | 3518 |
| 2.5+2.5+5.0                        | 2797              | 2797 | 5407 |   | 11000 | 2200 | 10500                | 2830 | 420 | 3500 | 12,3 | 3,89       | 11000  | 3,88 | A               | 3969 |
| 2.5+3.5+3.5                        | 3000              | 3700 | 3700 |   | 10400 | 2200 | 10000                | 2750 | 420 | 3333 | 12,0 | 3,78       | 10400  | 3,84 | A               | 3792 |
| 2.5+3.5+5.0                        | 2640              | 3256 | 5104 |   | 11000 | 2200 | 10500                | 2770 | 420 | 3500 | 12,0 | 3,97       | 11000  | 3,87 | A               | 3979 |
| 2.5+5.0+5.0                        | 2260              | 4370 | 4370 |   | 11000 | 2200 | 12000                | 2790 | 420 | 4000 | 12,1 | 3,94       | 11000  | 3,91 | A               | 3939 |
| 3.5+3.5+3.5                        | 3667              | 3667 | 3667 |   | 11000 | 2200 | 10500                | 2790 | 420 | 3500 | 12,1 | 3,94       | 11000  | 3,93 | A               | 3919 |
| 3.5+3.5+5.0                        | 3083              | 3083 | 4833 |   | 11000 | 2200 |                      |      |     |      |      |            |        |      |                 |      |

# Kombinační tabulky

## 5AMW105U4RQC

| Kombinace vnitřních jednotek | CHLAZENÍ |      |      |      |      |                   |      |       |                      |     |      |      |      |        |      |              |     |
|------------------------------|----------|------|------|------|------|-------------------|------|-------|----------------------|-----|------|------|------|--------|------|--------------|-----|
|                              | A        | B    | C    | D    | E    | Celkový výkon (W) |      |       | Elektrický odběr (W) |     |      | EER  | (A)  | Pdc(w) | SEER | Energ. třída | Qce |
|                              | W        | W    | W    | W    | W    | NOM               | MIN  | MAX   | NOM                  | MIN | MAX  | W/W  |      |        |      |              |     |
| 2,0+7,0                      | 2000     | 7000 |      |      |      | 9000              | 2500 | 12000 | 2650                 | 700 | 4500 | 3.40 | 11.9 | 9000   | 720  | A++          | 438 |
| 2,5+7,0                      | 2500     | 7000 |      |      |      | 9500              | 2500 | 12000 | 2650                 | 700 | 4500 | 3.58 | 11.9 | 9500   | 720  | A++          | 462 |
| 3,5+5,0                      | 3500     | 5000 |      |      |      | 8500              | 2500 | 12000 | 2650                 | 700 | 4500 | 3.21 | 11.9 | 8500   | 720  | A++          | 413 |
| 3,5+7,0                      | 3200     | 6800 |      |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4500 | 3.77 | 11.9 | 10000  | 720  | A++          | 486 |
| 5,0+5,0                      | 5000     | 5000 |      |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4500 | 3.77 | 11.9 | 10000  | 720  | A++          | 486 |
| 5,0+7,0                      | 4000     | 6000 |      |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4500 | 3.77 | 11.9 | 10000  | 720  | A++          | 486 |
| 7,0+7,0                      | 5000     | 5000 |      |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4500 | 3.77 | 11.9 | 10000  | 720  | A++          | 486 |
| 2,0+2,0+5,0                  | 2000     | 2000 | 5000 |      |      | 9000              | 2500 | 12000 | 2650                 | 700 | 4750 | 3.40 | 11.9 | 9000   | 730  | A++          | 432 |
| 2,0+2,0+7,0                  | 2000     | 2000 | 6000 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 2,0+2,5+5,0                  | 2000     | 2500 | 5000 |      |      | 9500              | 2500 | 12000 | 2650                 | 700 | 4750 | 3.58 | 11.9 | 9500   | 730  | A++          | 455 |
| 2,0+2,5+7,0                  | 2000     | 2500 | 5500 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 2,0+3,5+3,5                  | 2000     | 3500 | 3500 |      |      | 9000              | 2500 | 12000 | 2650                 | 700 | 4750 | 3.40 | 11.9 | 9000   | 730  | A++          | 432 |
| 2,0+3,5+5,0                  | 2000     | 3500 | 4500 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 2,0+3,5+7,0                  | 2000     | 3000 | 5000 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 2,0+5,0+5,0                  | 2000     | 4000 | 4000 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 2,0+5,0+7,0                  | 2000     | 3500 | 4500 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 2,5+2,5+3,5                  | 2500     | 2500 | 3500 |      |      | 8500              | 2500 | 12000 | 2650                 | 700 | 4750 | 3.21 | 11.9 | 8500   | 730  | A++          | 408 |
| 2,5+2,5+5,0                  | 2500     | 2500 | 5000 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 2,5+2,5+7,0                  | 2300     | 2300 | 5400 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 3,5+3,5+3,5                  | 3333     | 3333 | 3334 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 3,5+3,5+5,0                  | 3000     | 3000 | 4000 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 3,5+3,5+7,0                  | 2500     | 2500 | 5000 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 3,5+5,0+5,0                  | 3000     | 3500 | 3500 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 3,5+5,0+7,0                  | 2500     | 3500 | 5000 |      |      | 11000             | 2500 | 12000 | 2650                 | 700 | 4750 | 4.15 | 11.9 | 11000  | 730  | A++          | 527 |
| 5,0+5,0+5,0                  | 3333     | 3333 | 3334 |      |      | 10000             | 2500 | 12000 | 2650                 | 700 | 4750 | 3.77 | 11.9 | 10000  | 730  | A++          | 479 |
| 2,0+2,0+2,0+2,5              | 2000     | 2000 | 2000 | 2500 |      | 8500              | 2500 | 12000 | 2500                 | 700 | 5000 | 3.40 | 11.2 | 8500   | 740  | A++          | 402 |
| 2,0+2,0+2,0+3,5              | 2000     | 2000 | 2000 | 3500 |      | 9500              | 2500 | 12000 | 2550                 | 700 | 5000 | 3.73 | 11.4 | 9500   | 740  | A++          | 449 |
| 2,0+2,0+2,0+5,0              | 2000     | 2000 | 2000 | 4000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,0+2,0+7,0              | 1800     | 1800 | 1800 | 4600 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,0+2,5+2,5              | 2000     | 2000 | 2500 | 2500 |      | 9000              | 2500 | 12000 | 2550                 | 700 | 5000 | 3.53 | 11.4 | 9000   | 740  | A++          | 426 |
| 2,0+2,0+2,5+3,5              | 2000     | 2000 | 2500 | 3500 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,0+2,5+5,0              | 1500     | 1500 | 2300 | 4700 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,0+3,5+7,0              | 1500     | 1500 | 2000 | 5000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,0+3,5+3,5              | 2000     | 2000 | 3000 | 3000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,0+3,5+5,0              | 1800     | 1800 | 3000 | 3400 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,0+3,5+7,0              | 1500     | 1500 | 2500 | 4500 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,0+5,0+5,0              | 1500     | 1500 | 3500 | 3500 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,5+2,5+2,5              | 2000     | 2500 | 2500 | 2500 |      | 9500              | 2500 | 12000 | 2600                 | 700 | 5000 | 3.65 | 11.6 | 9500   | 740  | A++          | 449 |
| 2,0+2,5+2,5+3,5              | 2000     | 2500 | 2500 | 3000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,5+2,5+5,0              | 1800     | 2400 | 2400 | 3400 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,5+2,5+7,0              | 1500     | 2300 | 2300 | 3900 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,5+3,5+3,5              | 1800     | 2200 | 3000 | 3000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,5+3,5+5,0              | 1500     | 2000 | 2500 | 4000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,5+3,5+7,0              | 1500     | 2000 | 2500 | 4000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+2,5+5,0+5,0              | 1500     | 2100 | 3200 | 3200 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+3,5+3,5+3,5              | 1300     | 2900 | 2900 | 2900 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,0+3,5+3,5+5,0              | 1300     | 2500 | 2500 | 3700 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 740  | A++          | 473 |
| 2,5+2,5+2,5+2,5              | 2500     | 2500 | 2500 | 2500 |      | 10000             | 2500 | 12000 | 2680                 | 700 | 5000 | 3.73 | 12.0 | 10000  | 750  | A++          | 467 |
| 2,5+2,5+2,5+3,5              | 2200     | 2200 | 2200 | 3400 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 2,5+2,5+2,5+5,0              | 2000     | 2000 | 2000 | 4000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 2,0+2,0+2,0+7,0              | 1900     | 1900 | 1900 | 4300 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 2,0+2,0+3,5+3,5              | 2000     | 2000 | 3000 | 3000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 2,5+2,0+3,5+5,0              | 2000     | 2000 | 2500 | 3500 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 2,5+2,5+3,5+7,0              | 2000     | 2000 | 2300 | 3700 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 2,5+2,5+5,0+5,0              | 2000     | 2000 | 3000 | 3000 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 2,5+3,5+3,5+3,5              | 1900     | 2700 | 2700 | 2700 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 2,5+3,5+3,5+5,0              | 1900     | 2500 | 2500 | 3100 |      | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 760  | A++          | 461 |
| 3,5+3,5+3,5+3,5              | 2500     | 2500 | 2500 | 2500 |      | 10000             | 2500 | 12000 | 2600                 | 700 | 5000 | 3.85 | 11.6 | 10000  | 760  | A++          | 461 |
| 3,5+3,5+3,5+5,0              | 2100     | 2100 | 2100 | 3700 |      | 10000             | 2500 | 12000 | 2600                 | 700 | 5000 | 3.85 | 11.6 | 10000  | 760  | A++          | 461 |
| 2,0+2,0+2,0+2,0+2,0          | 2000     | 2000 | 2000 | 2000 | 2000 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,0+2,0+2,5          | 1900     | 1900 | 1900 | 1900 | 2400 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,0+2,0+3,5          | 1700     | 1700 | 1700 | 1700 | 3200 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,0+2,0+5,0          | 1600     | 1600 | 1600 | 1600 | 3600 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,0+2,0+7,0          | 1500     | 1500 | 1500 | 1500 | 4000 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,0+2,5+2,5          | 1800     | 1800 | 1800 | 2300 | 2300 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,0+2,5+3,5          | 1700     | 1700 | 1700 | 2200 | 2700 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,0+2,5+5,0          | 1600     | 1600 | 1600 | 2100 | 3100 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,0+2,5+7,0          | 1500     | 1500 | 1500 | 2000 | 3500 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,5+2,5+2,5          | 1700     | 1700 | 2200 | 2200 | 2200 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,5+2,5+3,5          | 1600     | 1600 | 2100 | 2100 | 2600 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,5+2,5+5,0          | 1500     | 1500 | 2000 | 2000 | 3000 | 10000             | 2500 | 12000 | 2650                 | 700 | 5000 | 3.77 | 11.9 | 10000  | 750  | A++          | 467 |
| 2,0+2,0+2,5+3,5+3,5          | 1600     | 1600 | 2000 | 2400 | 2400 | 10000             |      |       |                      |     |      |      |      |        |      |              |     |

| Kombinace vnitřních jednotek | CHLAZENÍ |      |      |      |      |                   |      |       |                      |       |      |
|------------------------------|----------|------|------|------|------|-------------------|------|-------|----------------------|-------|------|
|                              | A        | B    | C    | D    | E    | Celkový výkon (W) |      |       | Elektrický odběr (W) |       |      |
|                              |          |      |      |      |      | NOM               | MIN  | MAX   | NOM                  | MIN   | MAX  |
| 2,0+2,0+5,0                  | 2000     | 2000 | 5000 |      |      | 9000              | 3000 | 9450  | 2400                 | 552   | 3648 |
| 2,0+2,0+7,0                  | 2000     | 2000 | 7000 |      |      | 11000             | 3000 | 11550 | 2400                 | 552   | 3648 |
| 2,0+2,5+5,0                  | 2000     | 2600 | 5000 |      |      | 9600              | 3000 | 10080 | 2400                 | 552   | 3648 |
| 2,0+2,5+7,0                  | 2000     | 2600 | 7000 |      |      | 11600             | 3000 | 12180 | 2400                 | 552   | 3648 |
| 2,5+3,5+5,0                  | 2000     | 3500 | 5000 |      |      | 10500             | 3000 | 11025 | 2400                 | 552   | 3648 |
| 2,5+3,5+7,0                  | 2000     | 3500 | 7000 |      |      | 12500             | 3000 | 13125 | 2400                 | 552   | 3648 |
| 2,5+5,0+5,0                  | 2000     | 5000 | 5000 |      |      | 12000             | 3000 | 12600 | 2400                 | 552   | 3648 |
| 2,0+5,0+7,0                  | 1800     | 4500 | 6200 |      |      | 12500             | 3000 | 13125 | 2400                 | 552   | 3648 |
| 2,5+2,5+5,0                  | 2600     | 2600 | 5200 |      |      | 10400             | 3400 | 10920 | 2400                 | 552   | 3648 |
| 2,5+2,5+7,0                  | 2600     | 2600 | 7000 |      |      | 12200             | 3400 | 12810 | 2500                 | 575   | 3800 |
| 2,5+3,5+3,5                  | 2600     | 3500 | 3500 |      |      | 9600              | 3400 | 10080 | 2500                 | 575   | 3800 |
| 2,5+3,5+5,0                  | 2600     | 3500 | 5200 |      |      | 11300             | 3400 | 11865 | 2500                 | 575   | 3800 |
| 2,5+2,5+7,0                  | 2500     | 3500 | 6500 |      |      | 12500             | 3400 | 13125 | 2500                 | 575   | 3800 |
| 2,5+5,0+5,0                  | 2600     | 4900 | 5000 |      |      | 12500             | 3400 | 13125 | 2500                 | 575   | 3800 |
| 2,5+5,0+7,0                  | 2300     | 4200 | 6000 |      |      | 12500             | 3400 | 13125 | 2500                 | 575   | 3800 |
| 3,5+3,5+3,5                  | 3500     | 3500 | 3500 |      |      | 10500             | 3400 | 11025 | 2500                 | 575   | 3800 |
| 3,5+3,5+5,0                  | 3500     | 3500 | 5000 |      |      | 12000             | 3400 | 12600 | 2500                 | 575   | 3800 |
| 3,5+3,5+7,0                  | 3000     | 3000 | 6500 |      |      | 12500             | 3400 | 13125 | 2500                 | 575   | 3800 |
| 3,5+5,0+5,0                  | 3100     | 4700 | 4700 |      |      | 12500             | 3400 | 13125 | 2500                 | 575   | 3800 |
| 3,5+5,0+7,0                  | 3000     | 4000 | 5500 |      |      | 12500             | 3400 | 13125 | 2500                 | 575   | 3800 |
| 5,0+5,0+5,0                  | 4200     | 4200 | 4100 |      |      | 12500             | 3400 | 13125 | 2500                 | 575   | 3800 |
| 2,0+2,0+2,0+2,0              | 2000     | 2000 | 2000 | 2000 |      | 8000              | 3000 | 8400  | 2000                 | 460   | 3040 |
| 2,0+2,0+2,0+2,5              | 2000     | 2000 | 2000 | 2500 |      | 8500              | 3000 | 8925  | 2100                 | 483   | 3192 |
| 2,0+2,0+2,0+3,5              | 2000     | 2000 | 2000 | 3500 |      | 9500              | 3000 | 9975  | 2200                 | 506   | 3344 |
| 2,0+2,0+2,0+5,0              | 2000     | 2000 | 2000 | 5000 |      | 11000             | 3000 | 11550 | 2300                 | 529   | 3496 |
| 2,0+2,0+2,0+7,0              | 2000     | 2000 | 2000 | 6500 |      | 12500             | 3000 | 13125 | 2400                 | 552   | 3648 |
| 2,0+2,0+2,5+2,5              | 2000     | 2000 | 2500 | 2500 |      | 9000              | 3000 | 9450  | 2200                 | 506   | 3344 |
| 2,0+2,0+2,5+3,5              | 2000     | 2000 | 2500 | 3500 |      | 10000             | 3000 | 10500 | 2300                 | 529   | 3496 |
| 2,0+2,0+2,5+5,0              | 2000     | 2000 | 3500 | 5000 |      | 12500             | 3000 | 13125 | 2400                 | 552   | 3648 |
| 2,0+2,0+2,5+7,0              | 2000     | 2000 | 2500 | 6000 |      | 12500             | 3000 | 13125 | 2400                 | 552   | 3648 |
| 2,0+2,0+3,5+3,5              | 2000     | 2000 | 3500 | 3500 |      | 11000             | 3000 | 11550 | 2300                 | 529   | 3496 |
| 2,0+2,0+3,5+5,0              | 2000     | 2000 | 2500 | 5000 |      | 11500             | 3000 | 12075 | 2400                 | 552   | 3648 |
| 2,0+2,0+3,5+7,0              | 2000     | 2000 | 3000 | 5500 |      | 12500             | 3000 | 13125 | 2700                 | 621   | 4104 |
| 2,0+2,0+5,0+5,0              | 2000     | 2000 | 4250 | 4250 |      | 12500             | 3000 | 13125 | 2700                 | 621   | 4104 |
| 2,0+2,0+5,0+7,0              | 1500     | 1500 | 3850 | 5650 |      | 12500             | 3000 | 13125 | 2700                 | 621   | 4104 |
| 2,0+2,5+2,5+2,5              | 2000     | 2500 | 2500 | 2500 |      | 9500              | 3000 | 9975  | 2700                 | 621   | 4104 |
| 2,0+2,5+2,5+3,5              | 2000     | 2500 | 2500 | 3500 |      | 10500             | 3000 | 11025 | 2700                 | 621   | 4104 |
| 2,0+2,5+2,5+5,0              | 2000     | 2500 | 2500 | 5000 |      | 12000             | 3000 | 12600 | 2700                 | 621   | 4104 |
| 2,0+2,5+2,5+7,0              | 1900     | 2300 | 2300 | 6000 |      | 12500             | 3000 | 13125 | 2700                 | 621   | 4104 |
| 2,0+3,5+3,5+3,5              | 2000     | 3500 | 3500 | 3500 |      | 12500             | 3000 | 13125 | 2700                 | 621   | 4104 |
| 2,0+3,5+3,5+5,0              | 2000     | 3000 | 3000 | 4500 |      | 12500             | 3000 | 13125 | 2700                 | 621   | 4104 |
| 2,0+3,5+3,5+7,0              | 1500     | 2500 | 2500 | 6000 |      | 12500             | 3000 | 13125 | 2700                 | 621   | 4104 |
| 2,5+2,5+2,5+2,5              | 2600     | 2600 | 2600 | 2600 |      | 10400             | 3400 | 10920 | 2700                 | 621   | 4104 |
| 2,5+2,5+2,5+3,5              | 2600     | 2600 | 2600 | 3500 |      | 11300             | 3400 | 11865 | 2750                 | 632,5 | 4180 |
| 2,5+2,5+2,5+5,0              | 2500     | 2500 | 2500 | 5000 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,5+2,5+2,5+7,0              | 2000     | 2000 | 2000 | 6500 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,5+2,5+3,5+3,5              | 2500     | 2500 | 3500 | 3500 |      | 12000             | 3400 | 12600 | 2800                 | 644   | 4256 |
| 2,5+2,5+3,5+5,0              | 2500     | 2500 | 3200 | 4300 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,5+2,5+3,5+7,0              | 2000     | 2000 | 3000 | 5500 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,5+2,5+5,0+5,0              | 2000     | 2000 | 4250 | 4250 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,5+2,5+5,0+7,0              | 1900     | 1900 | 3700 | 5000 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,0+3,5+3,5+3,5              | 2300     | 3400 | 3400 | 3400 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,0+3,5+3,5+5,0              | 2200     | 3000 | 3000 | 4300 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,5+3,5+3,5+7,0              | 1900     | 2400 | 2400 | 5800 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 3,5+3,5+3,5+3,5              | 3100     | 3100 | 3100 | 3200 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 3,5+3,5+3,5+5,0              | 2700     | 2700 | 2700 | 4400 |      | 12500             | 3400 | 13125 | 2800                 | 644   | 4256 |
| 2,5+2,5+2,5+2,5+2,5          | 2500     | 2500 | 2500 | 2500 | 2500 | 12500             | 3500 | 12300 | 3610                 | 830,3 | 5487 |
| 2,5+2,5+2,5+2,5+3,5          | 2300     | 2300 | 2300 | 2300 | 3300 | 12500             | 3500 | 13125 | 3700                 | 851   | 5624 |
| 2,5+2,5+2,5+2,5+5,0          | 2000     | 2000 | 2000 | 2000 | 4500 | 12500             | 3500 | 13125 | 3800                 | 874   | 5776 |
| 2,5+2,5+2,5+3,5+3,5          | 2000     | 2000 | 2000 | 3250 | 3250 | 12500             | 3500 | 13125 | 3750                 | 862,5 | 5700 |
| 2,5+2,5+3,5+3,5+3,5          | 2050     | 2050 | 2800 | 2800 | 2800 | 12500             | 3500 | 13125 | 3800                 | 874   | 5776 |

| Kombinace vnitřních jednotek | VYTÁPĚNÍ |      |      |      |   |                   |      |       |                      |     |      |
|------------------------------|----------|------|------|------|---|-------------------|------|-------|----------------------|-----|------|
|                              | A        | B    | C    | D    | E | Celkový výkon (W) |      |       | Elektrický odběr (W) |     |      |
|                              |          |      |      |      |   | NOM               | MIN  | MAX   | NOM                  | MIN | MAX  |
| 2,0+2,0+5,0                  | 2500     | 2500 | 5500 |      |   | 10500             | 3000 | 10920 | 2400                 | 413 | 3168 |
| 2,0+2,0+7,0                  | 2500     | 2500 | 7500 |      |   | 12500             | 3000 | 13000 | 2400                 | 413 | 3168 |
| 2,0+2,5+5,0                  | 2500     | 3000 | 5500 |      |   | 11000             | 3000 | 11440 | 2400                 | 413 | 3168 |
| 2,0+2,5+7,0                  | 2500     | 3000 | 7500 |      |   | 13000             | 3000 | 13520 | 2400                 | 413 | 3168 |
| 2,0+3,5+5,0                  | 2500     | 4000 | 5500 |      |   | 12000             | 3000 | 12480 | 2400                 | 413 | 3168 |
| 2,0+3,5+7,0                  | 2500     | 4000 | 7000 |      |   | 13500             | 3000 | 14040 | 2400                 | 413 | 3168 |
| 2,0+5,0+5,0                  | 2500     | 5500 | 5500 |      |   | 13500             | 3000 | 14040 | 2400                 | 413 | 3168 |
| 2,0+5,0+7,0                  | 2500     | 4500 | 6500 |      |   | 13500             | 3000 | 14040 | 2400                 | 413 | 3168 |
| 2,5+2,5+5,0                  | 3000     | 3000 | 5500 |      |   | 11500             | 3000 | 11960 | 2400                 | 413 | 3168 |
| 2,5+2,5+7,0                  | 3000     | 3000 | 7500 |      |   | 13500             | 3000 | 14040 | 2500                 | 430 | 3300 |
| 2,5+3,5+3,5                  | 3000     | 4000 | 4000 |      |   | 11000             | 3000 | 11440 | 2500                 | 430 | 3300 |
| 2,5+3,5+5,0                  | 3000     | 4000 | 5500 |      |   | 12500             | 3000 | 13000 | 2500                 | 430 | 3300 |
| 2,5+3,5+7,0                  | 3000     | 3500 | 7000 |      |   | 13500             | 3000 | 14040 | 2500                 | 430 | 3300 |
| 2,5+5,0+5,0                  | 3000     | 5250 | 5250 |      |   | 13500             | 3000 | 14040 | 2500                 | 430 | 3300 |
| 2,5+5,0+7,0                  | 2500     | 4500 | 6500 |      |   | 13500             | 3000 | 14040 | 2500                 | 430 | 3300 |
| 3,5+3,5+3,5                  | 4000     | 4000 | 4000 |      |   | 12000             | 3000 | 12480 | 2500                 | 430 | 3300 |
| 3,5+3,5+5,0                  | 3600     | 3600 | 5000 |      |   | 12200             | 3000 | 12688 | 2700                 | 464 | 3564 |
| 3,5+3,5+7,0                  | 3600     | 3600 | 6500 |      |   | 13700             | 3000 | 14248 | 2700                 | 464 | 3564 |
| 3,5+5,0+5,0                  | 3600     | 5000 | 5000 |      |   | 13600             | 3000 | 14144 | 2700                 | 464 | 3564 |
| 3,5+5,0+7,0                  | 3600     | 4500 | 6500 |      |   | 14600             | 3000 | 15184 | 2700                 | 464 | 3564 |
| 5,0+5,0+5,0                  | 4500     | 4500 | 4500 |      |   | 13500             | 3000 | 14040 | 2800                 | 482 | 3696 |
| 2,0+2,0+2,0+2,0              | 2500     | 2500 | 2500 | 2500 |   | 10000             | 3500 | 10400 | 2500                 | 430 | 3300 |
| 2,0+2,0+2,0+2,5              | 2500     | 2500 | 2500 | 3000 |   | 10500             | 3500 | 10920 | 2600                 | 447 | 3432 |
| 2,0+2,0+2,0+3,5              | 2500     | 2500 | 2500 | 4000 |   | 11500             | 3500 | 11960 | 2650                 | 456 | 3498 |
| 2,0+2,0+2,0+5,0              | 2500     | 2500 | 2500 | 6000 |   | 13500             | 3500 | 14040 | 2700                 | 464 | 3564 |
| 2,0+2,0+2,0+7,0              | 2000     | 2000 | 2000 | 7500 |   | 13500             | 3500 | 14040 | 2700                 | 464 | 3564 |
| 2,0+2,0+2,5+2,5              | 2500     | 2500 | 3500 | 3500 |   | 12000             | 3500 | 12480 | 2200                 | 378 | 2904 |
| 2,0+2,0+2,5+3,5              | 2500     | 2500 | 3000 | 4000 |   | 12000             | 3500 | 12480 | 2200                 | 378 | 2904 |
| 2,0+2,0+2,5+5,0              | 2000     | 2000 | 4000 | 5500 |   | 13500             | 3500 | 14040 | 2400                 | 413 | 3168 |
| 2,0+2,0+2,5+7,0              | 2000     | 2000 | 3500 | 6000 |   | 13500             | 3500 | 14040 | 2500                 | 430 | 3300 |
| 2,0+2,0+3,5+3,5              | 2500     | 2500 | 4000 | 4000 |   | 13000             | 3500 | 13520 | 2400                 | 413 | 3168 |
| 2,0+2,0+3,5+5,0              | 2500     | 2500 | 3500 | 5000 |   | 13500             | 3500 | 14040 | 2500                 | 430 | 3300 |
| 2,5+2,5+3,5+7,0              | 2000     | 2000 | 3500 | 6000 |   | 13500             | 3500 | 14040 | 2600                 | 447 | 3432 |
| 2,0+2,0+5,0+5,0              | 2000     | 2000 | 4750 | 4750 |   | 13500             | 3500 | 14040 | 2700                 | 464 | 3564 |
| 2,05+2,0+5,0+7,0             | 2000     | 2000 | 3500 | 6000 |   | 13500             | 3500 | 14040 | 2750                 | 473 | 3630 |
| 2,0+2,5+2,5+2,5              | 2500     | 3000 | 3000 | 3000 |   | 11500             | 3500 | 11960 | 2400                 | 413 | 3168 |
| 2,0+2,5+2,5+3,5              | 2500     | 3000 | 3000 | 4000 |   | 12500             | 3500 | 13000 | 2500                 | 430 | 3300 |
| 2,0+2,5+2,5+5,0              | 2500     | 3000 | 3000 | 5000 |   | 13500             | 3500 | 14040 | 2600                 | 447 | 3432 |
| 2,0+2,5+2,5+7,0              | 2000     | 2500 | 2500 | 6500 |   | 13500             | 3500 | 14040 | 2700                 | 464 | 3564 |
| 2,0+3,5+3,5+3,5              | 2000     | 3500 | 3500 | 3500 |   | 12500             | 3500 | 13000 | 2400                 | 413 | 3168 |
|                              |          |      |      |      |   |                   |      |       |                      |     |      |