


# Mantis



 colour included  
in the price



**Mantis** 1260↓ × 540↔ E8  
colour: RAL 5018

KTX 3 heating element, chrome



**TERMA**  
SINCE 1990







colour included in the price

Design : Terma


## Standard connection:




Electric radiators:



## Optional connection:






## Available sizes:



## Specification:


Working pressure: 800 kPa    Maximum operating temperature: 95°C

A ↓ [mm]	B ↔ [mm]	C1 [mm]	C2 [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm <sup>3</sup> ]	 [kg]	Product code <small>Configuration code p. 5</small>
860	440	50	400	351	185	400	400	680	90	3,03	9,34	WGEMAT086044
860	540	50	500	423	223	400	500	680	90	3,41	11,06	WGEMAT086054
1260	440	50	400	502	266	600	400	1080	90	4,44	13,86	WGEMAT126044
1260	540	50	500	605	319	600	500	1080	90	5,00	16,31	WGEMAT126054
1560	440	50	400	615	326	600	400	1380	90	5,47	17,04	WGEMAT156044
1560	540	50	500	742	391	800	500	1380	90	6,17	20,06	WGEMAT156054



colour included  
in the price


## Technical drawing:




A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres  
E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Collector :

Pipe :





 colour included  
in the price

In the table with technical data, the last column lists product codes. When placing an order, please remember to quote the product code followed by the configuration code as shown in the diagram below:

## The construction of a water and dual fuel radiator product and configuration code:

WGMAT086044

K916SX

PRODUCT CODE  
(located in the table for the product)

CONFIGURATION CODE  
(supplemented by hand)

### Example Configuration

**K 916 SX**

Package code    Colour code    Connection code  
*K - carton box*

## Construction of electric heater configuration code:

WLMAT086044

K916E8DRYW

PRODUCT CODE  
(located in the table for the product)

CONFIGURATION CODE  
(supplemented by hand)

### Example Configuration


**K 916 E8 DRY W**

Package code    Colour code    Connection code    Heating element code    Type of heating element cable code  
*K - carton box*

## Epoxy primer

**E** – Code of epoxy primer is an extra processes.

WGMAT086044 K916SX **E** — Extra processes or additions code



## Legend



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator. The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.



Available in chrome finish.



No additional payment for a color.